

SYLLABUS FOR FITTER TRADE				
SECOND YEAR				
Duration	Reference Learning Outcome	Professional Skills (Trade Practical) with Indicative hrs.	Professional Knowledge (Trade Theory)	
Professional	Make & assemble	117. Make 'H' fitting. (17 hrs.)	Screws: material, designation,	
Skill 300 Hrs;	components of	118. Power tools: Practice	specifications, Property	
Professional Knowledge 108 Hrs	different mating surfaces as per required tolerance by different surface finishing operations using different fastening	operation of power tool for fastening. (5 hrs.)  119. Tightening of bolt/ screw with specified torque. (2 hrs.)  120. Selection of right tool as for Tightening or	classes (e.g. 9.8 on screw head), Tools for tightening/loosening of screw or bolts, Torque wrench, screw joint calculation uses.  Power tools: its constructional features, uses	
	components, tools	loosening of screw/bolt	·	
	and check	as per accessibility. (1 hr.)	, ,	
	functionality.  [Different Mating Surfaces - Dovetail fitting, Radius fitting, Combined fitting; Different surface finishing operations - Scraping, Lapping and Honing; Different fastening components - Dowel pins, screws, bolts, keys and cotters; Different fastening tools-hand operated & power tools, Required tolerance - ±0.02mm, angular tolerance ± 10 min.]	<ul> <li>121. Assembly sliding for using keys, dowel pin and screw, ± 0.02 mm accuracy on plain surface and testing of sliding fitting job. (13 hrs.)</li> <li>122. File &amp; fit angular mating surface within an accuracy of ± 0.02 mm &amp; 10 minutes angular fitting. (12 hrs.)</li> <li>123. Drill through and blind holes at an angle using swivel table of drilling machine. (10 hrs.)</li> <li>124. Precision drilling, reaming and tapping and Test-Job. (15 hrs.)</li> <li>125. Make Dovetailed fitting</li> </ul>	pullers. (09 hrs.)  Special files: types (pillar, Dread naught, Barrow, warding) description & their uses.	
		and radius fitting. (25	Introduction, necessity, types.	



	hrs.)	Limit gauge: Ring gauge, snap gauge, plug gauge, description and uses.  Description and uses of gauge- types (feeler, screw, pitch, radius, wire gauge). (09
	126. File and fit, combined fit with straight, angular surface with ± 0.02 mm accuracy and check adherence to specification and quality standards using	sets 46: 103: 112. Wringing and building up of slip gauge and care and maintenance.
	equipment like Vernier-calipers, micrometres etc.(25 hrs.)  127. Drilling and reaming, small dia. holes to accuracy & correct	Application of slip gauges for measuring, Sine Bar-Principle, application & specification.
	location for fitting. (4 hrs.)  128. Perform drilling using 'V' block and a clamp. (1 hrs.)	Procedure to check adherence to specification and quality standards. (09 hrs.)
	129. Make male and female fitting parts, drill and ream holes not less than 12.7 mm. (20 hrs.)  130. Make Sliding Diamond	Lapping: Application of
	fitting. (20 hrs.) 131. Lap flat surfaces using lapping plate. (5 hrs.)	lapping, material for lapping tools, lapping abrasives, charging of lapping tool. Surface finish importance, equipment for testing-terms
		relation to surface finish. Equipment for tasting surfaces quality – dimensional



				tolerances of surface finish. (09 hrs.)
		132.	Prepare Stepped keyed	Honing: Application of
			fitting and test job. (20	honing, material for honing,
			hrs.)	tools shapes, grades, honing
		133.	Lapping holes and	abrasives. Frosting- its aim
			cylindrical surfaces. (5	and the methods of
			hrs.)	performance. (09 hrs.)
		134.	Dovetail and Dowel pin	Metallurgical and metal
			assembly. (20 hrs.)	working processes such as
		135.	Scrape cylindrical bore. (5	Heat treatment, various heat
			hrs.)	treatment methods -
				normalizing, annealing,
				hardening and tempering,
				purpose of each method,
				tempering colour chart.
				(09 hrs.)
		136.	Scrapping cylindrical bore	Annealing and normalizing,
			and to make a fit-(15 hrs.)	Case hardening and
		137.	Scrapping cylindrical	carburising and its methods,
			taper bore and check	process of carburising (solid,
			taper angle with sine bar.	liquid and gas). (09 hrs.)
		420	(10 hrs.)	<del>-</del>
		138.	Make a cotter jib	Tapers on keys and cotters
			assembly. (25 hrs.)	permissible by various
		120	Hand rooms and fit taner	standards. (09 hrs.)
		139.	Hand reams and fit taper	•
		140	pin. (15 hrs.)  Drilling and reaming	protect metals, protection coat by heat and electrical
		140.	holes in correct location,	deposit treatments.
			fitting dowel pins, stud,	Treatments to provide a
			and bolts. (10 hrs.)	pleasing finish such as
			a 2010. (20 1110.)	chromium silver plating,
				nickel plating and galvanizing.
				(09hrs.)
Professional	Make different gauges	141.	Making a snap gauge for	
Skill 125 Hrs;	by using standard		checking a dia. of 10 ±	commonly used in gauging



Professional	and checks for		selective assembly 'Go'
Knowledge	specified accuracy.		system of gauges, hole plug
45 Hrs	[Different Gauges –		basis of standardization. (09
	Snap gauge, Gap		hrs.)
	gauge; Specified	142. Scrape external angular	Bearing-Introduction,
	Accuracy - ±0.02mm]	mating surface and check	•
		angle with sine bar. (15	Thrust), Description of each,
		hrs.)	ball bearing: Single row,
		143. Scrape on internal	double row, description of
		surface and check. (10	each, and advantages of
		hrs.)	double row. (09 hrs.)
		144. Practice in dovetail fitting	Roller and needle bearings:
		assembly and dowel pins	Types of roller bearing.
		and cap screws assembly.	Description & use of each.
		(20 hrs.)	Method of fitting ball and
		145. Industrial visit. (5 hrs.)	roller bearings
		, ,	(09 hrs.)
		146. Preparation of gap	Bearing metals – types,
		gauges. (15 hrs.)	composition and uses.
		147. Perform lapping of	Synthetic materials for
		gauges (hand lapping	bearing: The plastic laminate
		only) (10 hrs.)	materials, their properties
			and uses in bearings such as
			phenolic, Teflon polyamide
			(nylon). (09hrs.)
		148. Preparation of drill	The importance of keeping
		gauges. (10 hrs.)	the work free from rust and
		149. File and fit straight and	corrosion. (09 hrs.)
		angular surfaces	
		internally. (13 hrs.)	
		150. Identify different ferrous	
		metals by spark test (2	
		hrs.)	
Professional	Apply a range of skills	151. Flaring of pipes and pipe	Pipes and pipe fitting-
Skill 75 Hrs.;	to execute pipe joints,	joints. (3 hrs.)	commonly used pipes. Pipe
Duefacaional	dismantle and	152. Cutting & Threading of	schedule and standard sizes.
Professional	assemble valves &	pipe length. (3 hrs.)	Pipe bending methods. Use of
Knowledge	fittings with pipes and	153. Fitting of pipes as per	bending fixture, pipe threads-



27 Hrs	test for		sketch observing	Std. Pipe threads Die and Tap,
	leakages.[Range of		conditions used for pipe	pipe vices. (09 hrs.)
	skills – Cutting,		work. (12 hrs.)	
	Threading, Flaring,	154.	Bending of pipes- cold	
	Bending and Joining]		and hot. (7 hrs.)	
		155.	Dismantling & assembling	Use of tools such as pipe
			– globe valves, sluice	cutters, pipe wrenches, pipe
			valves, stop cocks, seat	dies, and tap, pipe bending
			valves and non-return	machine etc. (09 hrs.)
			valve. (25 hrs.)	
		156.	Fit & assemble pipes,	Standard pipefitting-
			valves and test for	Methods of fitting or
			leakage & functionality of	replacing the above fitting,
			valves. (22 hrs.)	repairs and erection on
		157.	Visual inspection for	rainwater drainage pipes and
			visual defects e.g. dents,	household taps and pipe
			surface finish. (1 hr.)	work.
		158.	Measuring, checking and	Inspection & Quality control
			recording in control	
			chart. (2 hrs.)	-Visual Inspection. (09 hrs.)
Professional	Make drill jig &	159.	Make a simple drilling jig.	Drilling jig-constructional
Skill 25 Hrs.;	produce components		(20 hrs.)	features, types and uses.
	on drill machine by	160.	Use simple jigs and	Fixtures-Constructional
Professional	using jigs and check		fixtures for drilling. (5	features, types and uses. (09
Knowledge	for correctness.		hrs.)	hrs.)
09 Hrs.	DI II II I	4.64	N4 1:	
Professional		161.	Marking out for angular	
Skill 200 Hrs.	and assemble		outlines, filing and fitting	_
Professional	different damaged		the inserts into gaps. (8	
Knowledge	mechanical	162	hrs.) Exercises on finished	strength as compared with steel. Non-ferrous metals
72 Hrs.	components used for	162.		
	power transmission & check functionality.		material such as aluminium/ brass/ copper	, · · ·
	[Different Damage		/ stainless steel, marking	
	Mechanical		out, cutting to size,	
	Components – Pulley,		drilling, tapping etc.	where and why used,
	Gear, Keys, Jibs and		without damage to	advantages for specific
	Shafts.]		surface of finished	purposes, surface wearing
	J,	L		1 1 2 2 2 7 2 2 2 2 2 2 2 3 7 1 1 2 2 3 7 1 1 2 3 7 1 2 3 7 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 2 3 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1



	articles. (12 hrs.)	properties of bronze and
	(==,	brass. (07 hrs.)
	163. Making an adjustable	Power transmission elements.
	spanner: - Marking out as	The object of belts, their sizes
	per Blueprint, drilling,	and specifications, materials
	· · · · · · · · · · · · · · · · · · ·	of which the belts are made,
	cutting, straight and	, i
	curve filing, threading,	selection of the type of belts
	cutting slot and cutting	with the consideration of
	internal threads with	weather, load and tension
	taps. (20 hrs.)	methods of joining leather
		belts. (07 hrs.)
	164. Dismantling and	Vee belts and their
	mounting of pulleys. (15	advantages and
	hrs.)	disadvantages, use of
	165. Making & replacing	commercial belts, dressing
	damaged keys. (15 hrs.)	and resin creep and slipping,
	166. Dismounting, repairing	calculation.
	damaged gears and	Power transmissions-
	mounting and check for	coupling types-flange
	workability. (20 hrs.)	coupling,-Hooks coupling-
	167. Repair & replacement of	universal coupling and their
	belts and check for	different uses.
	workability. (15 hrs.)	Pulleys-types-solid, split and
		'V' belt pulleys, standard
		calculation for determining
		size crowning of faces-loose
		and fast pulleys-jockey pulley.
		Types of drives-open and
		cross belt drives. The
		geometrical explanation of
		the belt drivers at an angle.
		(24 hrs.)
	168. Making of	<u>'</u>
	J	'
	template/gauge to check	gears, most common form
	involute profile. (22 hrs.)	spur gear, set names of some
		essential parts of the set-The
		pitch circles, Diametral pitch,
		velocity ratio of a gear set.



				(08 hrs.)
		169.	Repair of broken gear tooth by stud and repair broker gear teeth by dovetail. (23 hrs.)	Helical gear, herring bone gears, bevel gearing, spiral bevel gearing, hypoid gearing, pinion and rack, worm gearing, velocity ratio of worm gearing. Repair of gear teeth by building up and
			Make hexagonal slide fitting. (20 hrs.) Prepare different types of documentation as per industrial need by different methods of recording information. (5	dovetail method. (08 hrs.)  Method or fixing geared wheels for various purpose drives. General cause of the wear and tear of the toothed wheels and their remedies, method of fitting spiral gears, helical gears, bevel gears,
		172.	hrs.)  Marking out on the round	worm and worm wheels in relation to required drive. Care and maintenance of gears. (09 hrs.) Fluid power, Pneumatics,
			sections for geometrical shaped fittings such as spline with 3 or 4 teeth. Finishing and fitting to size, checking up the	Hydraulics, and their comparison, Overview of a pneumatic system, Boyle's law.  Overview of an industrial
			faces for universality. (25 hrs.)	hydraulic system, Applications, Pascal's Law. (09 hrs.)
Professional Skill 25 Hrs; Professional Knowledge 09 Hrs	Identify, dismantle, replace and assemble different pneumatics and hydraulics components.  [Different components — Compressor, Pressure Gauge, Filter		Identify pneumatic components — Compressor, pressure gauge, Filter-Regulator-Lubricator (FRL) unit, and Different types of valves and actuators. (2 hrs.)  Dismantle, replace, and	Compressed air generation and conditioning, Air compressors, Pressure regulation, Dryers, Air receiver, Conductors and fittings, FRL unit, Applications of pneumatics, Hazards & safety precautions in
	Regulator Lubricator,		assemble FRL unit. (5	pneumatic systems.



	Valves and Actuators.]		hrs \	
	vaives una Actuators.	<ul><li>175.</li><li>176.</li><li>177.</li><li>178.</li></ul>	hrs.) Demonstrate knowledge of safety procedures in pneumatic systems and personal Protective Equipment (PPE). (2 hrs.) Identify the parts of a pneumatic cylinder. (1 hrs.) Dismantle and assemble a pneumatic cylinder. (8 hrs.) Construct a circuit for the direction & speed control of a small-bore singleacting (s/a) pneumatic cylinder. (7 hrs.)	Pneumatic actuators:- Types, Basic operation, Force, Stroke length, Single-acting and double-acting cylinders. (09 hrs.)
Professional Skill 25 Hrs; Professional Knowledge 09 Hrs	Construct circuit of pneumatics and hydraulics observing standard operating procedure& safety aspect.	180.	Construct a control circuit for the control of a d/a pneumatic cylinder with momentary input signals. (5 hrs.)  Construct a circuit for the direct & indirect control of a d/a pneumatic cylinder with a single & double solenoid valve. (10 hrs.)  Dismantling & assembling of solenoid valves. (10 hrs.)	Pneumatic valves:- Classification, Symbols of pneumatic components, 3/2- way valves (NO & NC types) (manually-actuated & pneumatically-actuated) & 5/2-way valves, Check valves, Flow control valves, One-way flow control valve Pneumatic valves: Roller valve, Shuttle valve, Two- pressure valve Electro-pneumatics: Introduction, 3/2-way single solenoid valve, 5/2-way double solenoid valve, Control components - Pushbuttons (NO & NC type) and Electromagnetic relay